

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING NO. 3774-1570:100 Page 1 of 1

CATEGORY: Electric Locks

LISTEE: Dortronics Systems Inc., 1668 Sag Harbor Turnpike, Sag Harbor, NY 11963
Contact: John FitzPatrick (631) 725-0505 Fax (631) 725-8148

DESIGN: Models 1106, 1110, 1115 and 1120, followed by "-12V" or "-24V", may also be preceded by "TJ" electro-magnetic door locks. Models may have the following options: L1 (One LED pilot light), L2 (Two LED pilot light), DPS (door position sensors) and MBS (magnetic bond sensor-not for use with Model 1106). Refer to listee's data sheet for detailed product description and operational considerations.

RATING: 12 or 24 VDC

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction. For indoor use only.

MARKING: Listee's name, model number and UL label.

APPROVAL: Listed as electro-magnetic lock for use with non-rated free swinging or sliding doors. Authority having jurisdiction shall be consulted prior to installation.

07-05-01



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

JUNE 17, 2003

*Listing Expires **June 30, 2004***

Authorized By:

DIANE K. AREND, Senior Deputy
Program Manager